

Featuring an advanced Android 13 operating system and 5G & WiFi 6E wireless communication, the EA660 offers real-time data collection, a seamless working experience, and enhances stock management efficiency in industries such as retail, hospitality, logistics, and healthcare.

### Powered by Android 13 OS with GMS & AER Certified

The EA660 is a 6-inch Android 13 rugged smartphone equipped with an advanced 64-bit Octa Cores CPU capable of reaching speeds up to 2.4 GHz. It effortlessly handles demanding tasks while ensuring smooth multitasking. With the distinction of Google Certification, encompassing Google Mobile Service (GMS) and Android Enterprise Recommended (AER) endorsement, the dual certification assures a secure and efficient business environment.

### Seamless and Connectivity via Wireless Communication

Featuring 5G connectivity and enhanced by the latest Wi-Fi 6E technology, the EA660 offers unprecedented wireless connectivity across 2.4GHz, 5GHz, and 6GHz bands for extensive coverage and blazing-fast internet speeds. With fast roaming, Bluetooth® 5.2 for real-time data collection, and DBS (Dual-Band Simultaneous) technology supporting simultaneous transmissions over both 2.4GHz and 5GHz frequencies, it ensures a more reliable and efficient network performance. This setup allows users to scan items and instantly connect to the backend system to find out the quantity in stock or make an online order for customers. The EA660 delivers a seamlessly work experience and improves productivity for various applications, making it faster downloads and uploads at user's fingertips on the most reliable networks for your business.

### **Premier Barcode Reading Distance**

Featuring powerful 1D/2D scanning capabilities and utilizing premier 2D barcode scanning technology, the EA660 rugged smartphone offers an optional engine that enables barcode reading at distances of up to 12m with 5G and WiFi6E connectivity. This provides the perfect solution for the retail and logistics environments, allowing users to enjoy high-performance barcode reading, whether it's from a short or long distance, and optimize their work efficiency.

### **Durable design and flexible Options**

The EA660 enhances industrial durability with features such as simultaneous IP65 and IP67 dustproof and waterproof ratings, along with resistance to falls from a height of 1.5 meters (1.8 meters with boot case). It has various accessories such as RFID gun grip and cradles and also supports unitech software solutions, SDKs, MoboLink, and 3rd party MDM solutions such as VMware, SOTI, Ivanti Wavelink.

### Features

- Android 13 OS with GMS & AER Certification
- Wireless Communication: 5G & WiFi 6E
- All-In-One functionality: 2D Imager, NFC, 5MP front camera, and 16MP rear camera
- Rugged: Corning® Gorilla® Glass 7(Victus) touch display, IP65 & IP67 rated, and 1.5M drop (1.8M with boot case)
- Premier barcode reading distance : Up to 12M (Optional engine)
- Long-lasting removable 5000mAh UL certified smart battery
- Support unitech software solutions, SDKs, MoboLink, and MDM solutions





# **EA660**

## **Specifications**

### **Operation System**

OS Android 13 (upgradable to A17) with GMS & AER certified

CPU Qualcomm® Snapdragon™ 4490,

64bits Octa-core Processor, up to 2.4 GHz

6GB RAM / 128 GB Flash, UFS Memory

Multiple languages Languages support

### Display

Screen 6", 18:9 FHD+ (2160 x 1080) color screen, Backlight 630 nits Touch Panel Gorilla® Glass 7 Glass (Victus), Multi-Touch User Interface with

Capacitive, stylus (5.5mm), glove mode, wet-finger

Compatibility

### Keypad Indicator

5 keys- Programmable function button; dual dedicated scan buttons; volume up/down buttons; on/off button

LEDs, Vibrator, Speaker

### Camera

5MP front camera,

16 MP Rear with auto-focus function and Flash Light

### **RFID**

Support HF/NFC HF

Frequency 13.56Mhz

Support: ISO14443A/B, ISO15693, Mifare, Felica(ISO/IEC18092) compliance

### **Symbologies**

1D Support all major 1D barcodes 2D Support all major 2D barcodes

### **Power Source**

Main battery 3.87V, 5000mAh Li-ion battery

Support warm swap

### **Enclosure**

Dimensions (HxWxD) 162.9 mm x 77mm x 14.9mm

Weight 270g±1.5% (with battery)\*

\*The weight will vary depending on

the configuration.

### **Regulatory Approvals**

CE, UKCA, FCC, IC, NCC, VCCI, TELEC, CCC, SRRC, RoHS, CEC, BQB, N-Mark

### Software

MDM Software SOTI, VMware and MoboLink







### Headquarters

Taipei, Taiwan http://www.ute.com e-mail: info@hq.ute.com

### unitech America

Los Angeles

http://us.ute.com e-mail: info@us.ute.com

http://can.ute.com info@can.ute.com

http://latin.ute.com e-mail: info@latin.ute.com

### unitech Asia Pacific & Middle East

http://apac.ute.com info@apac.ute.com / info@india.ute.com

http://mideast.ute.com info@mideast.ute.com

### Communication

Bluetooth® Bluetooth® 5.2

WLAN WiFi 6E, 2.4GHz & 5GHz & 6Ghz

IEEE 802.11a/b/g/n/ac/ax/d/e/h/i/k/r/v (MIMO 2X2), Support DBS &

Fast roaming

Security WPA3, WPA2, WPA & WEP

WWAN 5G NR: n1, n2, n3, n5, n7, n8, n12, n20, n28, n34, n38, n39, n40,

n41, n48, n66, n77, n78, n79

4G LTE (FDD): B1, B2, B3, B4, B5, B7, B8, B12, B13, B14, B17, B19,

B20 B28 B66

LTE (TDD): B34, B38, B39, B40, B41, B48

3G WCDMA/UMTS/HSPA+: B1(2100MHz), B2(1900MHz),

B4(1700MHz), B5(850MHz), B8(900MHz)

2G GSM/GPRS/EDGE: B2(PCS1900), B3(DCS1800), B5(GSM850), B8

(GSM900)

Support Data, SMS and Voice capabilities

\*n48& B48 for CBRS

GPS GPS/GLONASS/Gallileo/BeiDou/QZSS (L1+L5)

G-sensor(Accelerometer), Proximity + Light Sensor,

E-Compass, Gyroscope sensor

### I/O Interfaces

Sensors

USB USB 3.1 (type-C) support USB OTG

Support Ethernet/USB-Host via cradle

OTG Yes, over USB Type-C

POGO PIN PogoPin backside: Support Gun-grip

PogoPin bottom: Charging via cradle

SIM Slot Dual nano SIM Slot MicroSD, up to 1TB Expansion Slot

One speaker (95±3dB @ 10cm), One receiver, Audio

Dual noise-cancelling microphones, Smart PA

Single Slot Charging Cradle

Single Slot Ethernet Cradle

5-Slot Terminal Charging Cradle

4-Terminal+ 4-battery Charging cradle

Single Slot USB Cradle

5-Slot Ethernet Cradle

4-slot battery charger

### Environmental

Operating temperature -20°C to 55°C

- 40°C to 70°C (without battery) Storage temperature

0°C to 45°C Charging temperature

Relative Humidity 5% ~ 95% (Non-Condensing) Drop test to Concrete 1.5m, 1.8m with boot case

**Environmental Sealing** IP65 & IP67 Vibration/ Tumble test MIL-STD 810G

### Accessories

USB 3.0 Type-C Cable(Support Fast Charge)

Fast Charge Adaptor via USB Type-C Cable

Hand Strap **Boot Case** 

9H Glass Screen Protector Battery 3.87V 5000mAh

Stylus (5.5mm)

Coiled Strap Standard Gun Grip

unitech Europe Tilburg / Netherlands

http://eu.ute.com e-mail: info@eu.ute.com

### unitech Japan

http://jp.ute.com e-mail: info@jp.ute.com

### unitech Greater China

Beijing, Shanghai, Guang Zhou, Xiamen http://cn.ute.com info@cn.ute.com Taipei http://tw.ute.com info@tw.ute.com





# **EA660**

# Software Solution

### **Development Tools**







Unitech SDK

Scanner SDK

Unitech offers a number of SDK toolkits for developers to write apps that can interact with the unitech devices for the mobile, scanner, and the RFID product lines.

## **Device Management**







## Staging and Management



Android Enterprise ready EMM for monitoring device health and managing apps, configs and files.



### **StageGO**

Barcode-based device staging utility offering hundreds of script commands for you to work with.



If you are using a third party EMM, OEMConfig will allow those EMM solutions to configure unitech specific settings on the device.



### **Enterprise Launcher**

Secure your devices by kiosking them with Enterprise Launcher. Block access to the Android system and only allow limited number of apps to be run.



### Battery info

Monitor advanced Battery health and manage the battery replacement cycle. Use with MoboLink to get real-time attery health alerts delivered to your phone.



### Software Update

Check and install software updates online.

To let a device always stay up-to-date, setup the device to automatically check and install for updates on boot up.



### System Update Center

Check and install firmware updates via FOTA. You can update the firmware via online FOTA server, or by using a OTA ZIP file placed in the internal storage.



### **Unitech Scanner Utility**

An Android application which helps users connect. configure and use a supported Unitech Bluetooth scanner.

## **Productivity and Utilities**





## **USS Profiles**

Configure all scanner settings with friendly user interface and enable the service to make scanning data as keypad input.



### **USS Camera**

Capture barcode data using the device camera and send the data to your applications as keyboard inputs.



### KeyRemap

Reprogram physical buttons to act as another key or to launch an app.



### **WLAN Advanced**

Configure advanced WLAN settings such as power saving mode and roaming parameters.



### **NTP Server Settings**

Customize the NTP server setting to keep your device date and time synchronized.



### **UNote**

A simple text viewer and editor for use in your work flows.



Auto-run apps when device boots up.



**TagAccess** 

For versatile functions of RFID command via integrating with Unitech RFID Readers.



### Logger

An easy and fast way to get logs from a device.



### **Enterprise Keyboard**

Enterprise Keyboard gives various methods for user to input data to enhance efficiency and productivity.